

## Safety Data Sheet

According to 29CFR 1910.1200 OSHA Hazard Communication Standard Issue date: 4/11/2023 Revision date: 4/11/2023 Version: 1.0

### **SECTION 1: Identification**

### 1.1. Identification

Product form : Mixture

Product name : Paste - Metal, Fiberglass+Plastic Paint Polish

### 1.2. Recommended use and restrictions on use

Recommended use : Polishing agent Restrictions on use : None known

### 1.3. Supplier

Flitz International LTD 821 Mohr Ave. Waterford, WI. 53185 USA T (262) 534-5898 info@flitz.com

### 1.4. Emergency telephone number

Emergency number : 1 (800) 222-1222 (U.S.)

## **SECTION 2: Hazard(s) identification**

### 2.1. Classification of the substance or mixture

### **GHS US classification**

Not classified

### 2.2. GHS Label elements, including precautionary statements

### **GHS US labeling**

No labeling applicable

### 2.3. Other hazards which do not result in classification

No additional information available

## 2.4. Unknown acute toxicity (GHS US)

No additional information available

# **SECTION 3: Composition/Information on ingredients**

## 3.1. Substances

Not applicable

### 3.2. Mixtures

Name	Product identifier	%
Aluminum Oxide	CAS-No.: 1344-28-1	≥ 1

<sup>\*</sup>Chemical name, CAS number and/or exact concentration have been withheld as a trade secret.

Full text of hazard classes and H-statements : see section 16

## Safety Data Sheet

According to 29CFR 1910.1200 OSHA Hazard Communication Standard

#### **SECTION 4: First-aid measures**

### 4.1. Description of first aid measures

First-aid measures general : No particular/specific measures required.

First-aid measures after inhalation : No first aid should be needed. Remove person to fresh air and keep comfortable for breathing.

Get medical attention if symptoms occur.

First-aid measures after skin contact : Rinse skin with water/shower. If skin irritation occurs: Get medical advice/attention.

First-aid measures after eye contact : Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to

do. Continue rinsing. If eye irritation persists: Get medical advice/attention.

First-aid measures after ingestion : No first aid should be needed. Rinse mouth out with water. If you feel unwell, seek medical

advice.

#### 4.2. Most important symptoms and effects (acute and delayed)

Symptoms/effects : Not expected to present a significant hazard under anticipated conditions of normal use. May

cause slight temporary irritation.

Inhalation : No adverse effects expected under normal conditions of use.

Skin : No adverse effects expected under normal conditions of use. May cause slight irritation to the

skin.

Eyes : No adverse effects expected under normal conditions of use. May cause minor eye irritation.

Ingestion : No adverse effects expected under normal conditions of use. May cause gastrointestinal

irritation, nausea, vomiting and diarrhea.

Chronic symptoms : No chronic health hazards are likely for this material.

### 4.3. Immediate medical attention and special treatment, if necessary

None under normal conditions. Treat symptomatically.

### **SECTION 5: Fire-fighting measures**

### 5.1. Suitable (and unsuitable) extinguishing media

Suitable extinguishing media : Use extinguishing media appropriate for surrounding fire.
Unsuitable extinguishing media : Do not use a solid water stream as it may scatter and spread fire.

## 5.2. Specific hazards arising from the chemical

Fire hazard : Not classified.

Explosion hazard : Product is not explosive.

Hazardous decomposition products in case of fire : Toxic vapors may be released. Carbon oxides (CO, CO2). Nitrogen oxides.

### 5.3. Special protective equipment and precautions for fire-fighters

Protection during firefighting : Do not attempt to take action without suitable protective equipment. Self-contained breathing apparatus. Complete protective clothing. On heating, there is a risk of bursting due to internal

pressure build-up. Cool down the containers exposed to heat with a water spray.

## **SECTION 6: Accidental release measures**

### 6.1. Personal precautions, protective equipment and emergency procedures

General measures : Ventilate area. Wear suitable protective clothing. Do not touch or walk on the spilled product.

Stop leak if safe to do so. Keep unnecessary and unprotected personnel away from the spillage.

### 6.1.1. For non-emergency personnel

Emergency procedures : Ventilate spillage area. Avoid contact with skin, eyes and clothing.

4/11/2023 (Revision date) US - en 2/7

## Safety Data Sheet

According to 29CFR 1910.1200 OSHA Hazard Communication Standard

#### 6.1.2. For emergency responders

Protective equipment : Do not attempt to take action without suitable protective equipment. For further information refer

to section 8: "Exposure controls/personal protection".

#### 6.2. Environmental precautions

Avoid release to the environment. Report spill as required by local and federal regulations.

### 6.3. Methods and material for containment and cleaning up

For containment : Ventilate spillage area. Absorb with an inert material and place in an appropriate waste disposal

container

Methods for cleaning up : Take up liquid spill into absorbent material. Wash contaminated area with large amounts of

water.

Other information : Dispose of materials or solid residues at an authorized site.

#### 6.4. Reference to other sections

For further information refer to section 8: "Exposure controls/personal protection". For further information refer to section 13.

## **SECTION 7: Handling and storage**

#### 7.1. Precautions for safe handling

Precautions for safe handling : Ensure adequate ventilation. Use personal protective equipment as required. Handle in

accordance with good industrial hygiene and safety procedures.

Hygiene measures : Always wash hands after handling the product. Do not eat, drink or smoke when using this

product.

### 7.2. Conditions for safe storage, including any incompatibilities

Storage conditions : Store in a well-ventilated place. Keep cool.

Incompatible materials : Store away from strong oxidizers, strong bases, strong acids.

## SECTION 8: Exposure controls/personal protection

### 8.1. Control parameters

### Paste - Metal, Fiberglass+Plastic Paint Polish

No additional information available

### Aluminum Oxide (1344-28-1)

### **USA - OSHA - Occupational Exposure Limits**

OSHA PEL (TWA) 15 mg/m<sup>3</sup>

### 8.2. Appropriate engineering controls

Appropriate engineering controls : Ensure adequate ventilation. Do not exceed the occupational exposure limits (OEL).

Environmental exposure controls : Avoid release to the environment.

### 8.3. Individual protection measures/Personal protective equipment

### Materials for protective clothing:

Wear suitable protective clothing

4/11/2023 (Revision date) US - en 3/7

## Safety Data Sheet

According to 29CFR 1910.1200 OSHA Hazard Communication Standard

#### Hand protection:

Not required for normal conditions of use. Handling product in bulk: Wear suitable gloves

#### Eye protection:

No special eye protection equipment recommended under normal conditions of use. Handling product in bulk: Use suitable eye protection

### Skin and body protection:

None under normal conditions

#### Respiratory protection:

In operations where exposure limits are exceeded or exposure levels are excessive, an approved respirator should be used. Respirator selection and use should be based on contaminant type, form and concentration. Follow applicable regulations and good Industrial Hygiene practice.

### Thermal hazard protection:

Not applicable.

### **SECTION 9: Physical and chemical properties**

### 9.1. Information on basic physical and chemical properties

Physical state : Liquid

Appearance : Viscous liquid. light blue.

Color : light blue
Odor : Characteristic
Odor threshold : No data available

pH : 8-10

Melting point : Not applicable
Freezing point : No data available
Boiling point : No data available

Flash point : > 93.3 °C (estimated value)

Relative evaporation rate (butyl acetate=1) : No data available Flammability (solid, gas) : Not applicable. Vapor pressure : No data available Relative vapor density at 20°C : No data available Relative density No data available Density : 1.2 - 1.4 g/cm<sup>3</sup> Solubility : No data available : No data available Partition coefficient n-octanol/water (Log Pow) : No data available Auto-ignition temperature Decomposition temperature : No data available Viscosity, kinematic : 1008 mm<sup>2</sup>/s Viscosity, dynamic : No data available : No data available **Explosion limits** Explosive properties : No data available Oxidizing properties No data available

### 9.2. Other information

No additional information available

### **SECTION 10: Stability and reactivity**

#### 10.1. Reactivity

The product is non-reactive under normal conditions of use, storage and transport.

## Safety Data Sheet

According to 29CFR 1910.1200 OSHA Hazard Communication Standard

#### 10.2. Chemical stability

Stable under normal conditions.

### 10.3. Possibility of hazardous reactions

No dangerous reactions known under normal conditions of use.

### 10.4. Conditions to avoid

Incompatible materials.

### 10.5. Incompatible materials

Keep away from oxidizers, strong acids and strong bases.

#### 10.6. Hazardous decomposition products

Under normal conditions of storage and use, hazardous decomposition products should not be produced.

## **SECTION 11: Toxicological information**

1	1	K	١.	In	fo	rm	nat	ic	n	0	n	to	XC	ic	ol	0	a	ica	Ш	ef	fe	C	S

Acute toxicity (oral) : Not classified
Acute toxicity (dermal) : Not classified
Acute toxicity (inhalation) : Not classified

, ,	
Aluminum Oxide (1344-28-1)	
LD50 oral rat	> 5000 mg/kg
LC50 Inhalation - Rat	> 7.6 mg/l 1 h
Skin corrosion/irritation	: Not classified

Skin corrosion/irritation : Not classified pH: 8 – 10

Serious eye damage/irritation : Not classified pH: 8 – 10

Respiratory or skin sensitization : Not classified Germ cell mutagenicity : Not classified

Carcinogenicity : Not classified (This product does not contain any component that is considered a carcinogen by

IARC, ACGIH, OSHA or NTP.)

Reproductive toxicity : Not classified STOT-single exposure : Not classified STOT-repeated exposure : Not classified Aspiration hazard : Not classified Viscosity, kinematic : 1008 mm²/s

Symptoms/effects : Not expected to present a significant hazard under anticipated conditions of normal use. May

cause slight temporary irritation.

Inhalation : No adverse effects expected under normal conditions of use.

Skin : No adverse effects expected under normal conditions of use. May cause slight irritation to the

skin.

Eyes : No adverse effects expected under normal conditions of use. May cause minor eye irritation.

Ingestion : No adverse effects expected under normal conditions of use. May cause gastrointestinal

irritation, nausea, vomiting and diarrhea.

Chronic symptoms : No chronic health hazards are likely for this material.

## Safety Data Sheet

According to 29CFR 1910.1200 OSHA Hazard Communication Standard

### **SECTION 12: Ecological information**

### 12.1. Toxicity

Ecology - general : The product is not considered harmful to aquatic organisms or to cause long-term adverse effects in the environment.

Aluminum Oxide (1344-28-1)				
EC50 72h - Algae [1]	1.05 mg/l Test organisms (species): Pseudokirchneriella subcapitata (previous names: Raphidocelis subcapitata, Selenastrum capricornutum)			
EC50 72h - Algae [2]	0.2 mg/l Test organisms (species): Pseudokirchneriella subcapitata (previous names: Raphidocelis subcapitata, Selenastrum capricornutum)			

## 12.2. Persistence and degradability

No additional information available

### 12.3. Bioaccumulative potential

No additional information available

### 12.4. Mobility in soil

No additional information available

### 12.5. Other adverse effects

No additional information available

## **SECTION 13: Disposal considerations**

## 13.1. Disposal methods

Product/Packaging disposal recommendations : Dispose of in accordance with applicable federal, state, and local regulations.

## **SECTION 14: Transport information**

In accordance with DOT / IMDG / IATA

DOT	IMDG	IATA						
14.1. UN number								
Not regulated for transport								
14.2. Proper Shipping Name								
Not applicable	Not applicable Not applicable Not applicable							
14.3. Transport hazard class(es)								
Not applicable Not applicable Not applicable								
14.4. Packing group								
Not applicable Not applicable Not applicable								
14.5. Environmental hazards								
Not applicable	Not applicable	Not applicable						
No supplementary information available								

4/11/2023 (Revision date) US - en 6/7

## Safety Data Sheet

According to 29CFR 1910.1200 OSHA Hazard Communication Standard

#### 14.6. Special precautions for user

#### DOT

No data available

#### IMDG

No data available

#### **IATA**

No data available

### 14.7. Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Not applicable

### **SECTION 15: Regulatory information**

### 15.1. US Federal regulations

### Paste - Metal, Fiberglass+Plastic Paint Polish

SARA Section 311/312 Hazard Classes

Refer to Section 2 for OSHA Hazard Classification.

All components of this product are listed, or excluded from listing, on the United States Environmental Protection Agency Toxic Substances Control Act (TSCA) inventory.

Chemical(s) subject to the reporting requirements of Section 313 or Title III of the Superfund Amendments and Reauthorization Act (SARA) of 1986 and 40 CFR Part 372.

Aluminum Oxide CAS-No. 1344-28-1 ≥ 1%

## 15.2. International regulations

### Paste - Metal, Fiberglass+Plastic Paint Polish

All components of this product are listed, or excluded from listing, on the United States Environmental Protection Agency Toxic Substances Control Act (TSCA) inventory.

## 15.3. US State regulations

California Proposition 65 - This product does not contain any substances known to the state of California to cause cancer, developmental and/or reproductive harm

### **SECTION 16: Other information**

According to 29CFR 1910.1200 OSHA Hazard Communication Standard Revision date : 4/11/2023

### Indication of changes:

new version.

Safety Data Sheet (SDS), USA

This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product.



## Safety Data Sheet

According to 29CFR 1910.1200 OSHA Hazard Communication Standard Issue date: 4/11/2023 Revision date: 4/11/2023 Version: 1.0

### **SECTION 1: Identification**

### 1.1. Identification

Product form : Mixture

Product name : Rifle/Gun & Knife Wax

Synonyms : Gun and Rifle Wax / Rifle Gun & Knife Wax / Faucet Waxx Plus

### 1.2. Recommended use and restrictions on use

Recommended use : Polishes and wax blends

Restrictions on use : None known

### 1.3. Supplier

Flitz International LTD 821 Mohr Ave. Waterford, WI. 53185 USA

T (262) 534-5898 info@flitz.com

### 1.4. Emergency telephone number

Emergency number : 1 (800) 222-1222 (U.S.)

### **SECTION 2: Hazard(s) identification**

## 2.1. Classification of the substance or mixture

#### **GHS US classification**

Not classified

## 2.2. GHS Label elements, including precautionary statements

#### **GHS US labeling**

No labeling applicable

### 2.3. Other hazards which do not result in classification

No additional information available

### 2.4. Unknown acute toxicity (GHS US)

No additional information available

### **SECTION 3: Composition/Information on ingredients**

### 3.1. Substances

Not applicable

### 3.2. Mixtures

\*Chemical name, CAS number and/or exact concentration have been withheld as a trade secret

This mixture does not contain any substances to be mentioned according to the criteria of section 3.2 of HazCom 2012

## Safety Data Sheet

According to 29CFR 1910.1200 OSHA Hazard Communication Standard

#### **SECTION 4: First-aid measures**

### 4.1. Description of first aid measures

First-aid measures general : First aider: Pay attention to self-protection!.

First-aid measures after inhalation : Remove person to fresh air and keep comfortable for breathing. Get medical attention if

symptoms occur.

First-aid measures after skin contact : Wash skin with plenty of water. Take off contaminated clothing. If skin irritation occurs: Get

medical advice/attention.

First-aid measures after eye contact : Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to

do. Continue rinsing. If eye irritation persists: Get medical advice/attention.

First-aid measures after ingestion : Rinse mouth out with water. Do not induce vomiting. If you feel unwell, seek medical advice.

#### 4.2. Most important symptoms and effects (acute and delayed)

Symptoms/effects : May cause minor eye irritation. May cause slight irritation to the skin. May cause gastrointestinal

irritation, nausea, vomiting and diarrhea.

Inhalation : Adverse effects not expected from this product.

Skin : May cause slight irritation to the skin.

Eyes : May cause minor eye irritation.

Ingestion : May cause gastrointestinal irritation, nausea, vomiting and diarrhea.

Chronic symptoms : No chronic health hazards are likely for this material.

#### 4.3. Immediate medical attention and special treatment, if necessary

None under normal conditions. Treat symptomatically.

### **SECTION 5: Fire-fighting measures**

### 5.1. Suitable (and unsuitable) extinguishing media

Suitable extinguishing media : Water spray. Dry powder. Foam. Carbon dioxide.

Unsuitable extinguishing media : Do not use a solid water stream as it may scatter and spread fire.

### 5.2. Specific hazards arising from the chemical

Fire hazard : Not classified. Could burn but does not ignite readily. Keep away from open flames, hot surfaces

and sources of ignition.

Explosion hazard : Product is not explosive.

Hazardous decomposition products in case of fire : Toxic vapors may be released. Hydrocarbon. Carbon oxides (CO, CO2).

### 5.3. Special protective equipment and precautions for fire-fighters

Protection during firefighting : Do not attempt to take action without suitable protective equipment. Self-contained breathing apparatus. Complete protective clothing. On heating, there is a risk of bursting due to internal

pressure build-up. Cool down the containers exposed to heat with a water spray.

### **SECTION 6: Accidental release measures**

### 6.1. Personal precautions, protective equipment and emergency procedures

General measures : Ventilate area. No open flames. No smoking. Keep unnecessary and unprotected personnel away from the spillage. Do not touch or walk on the spilled product. Stop leak if safe to do so.

Wear suitable protective clothing.

### 6.1.1. For non-emergency personnel

Emergency procedures : No open flames, no sparks, and no smoking. Ventilate spillage area. Avoid breathing mist,

vapors. Avoid contact with skin and eyes.

4/11/2023 (Revision date) US - en 2/7

## Safety Data Sheet

According to 29CFR 1910.1200 OSHA Hazard Communication Standard

#### 6.1.2. For emergency responders

Protective equipment : Do not attempt to take action without suitable protective equipment. For further information refer

to section 8: "Exposure controls/personal protection".

#### 6.2. Environmental precautions

Do not allow product to spread into the environment. Report spill as required by local and federal regulations.

#### 6.3. Methods and material for containment and cleaning up

For containment : Ventilate spillage area. Absorb with an inert material and place in an appropriate waste disposal

container. Collect spillage.

Methods for cleaning up : Ventilate area. No flames, no sparks. Eliminate all sources of ignition. Take up liquid spill into

absorbent material. Place in a suitable container for disposal in accordance with the waste regulations (see Section 13). Notify authorities if product enters sewers or public waters.

Other information : Dispose of materials or solid residues at an authorized site.

#### 6.4. Reference to other sections

For further information refer to section 8: "Exposure controls/personal protection". For further information refer to section 13.

## **SECTION 7: Handling and storage**

### 7.1. Precautions for safe handling

Precautions for safe handling : Ensure adequate ventilation. Avoid breathing vapors, mist. Avoid contact with skin and eyes.

Wear personal protective equipment. Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. Handle in accordance with good industrial hygiene and

safety procedures.

Hygiene measures : Wash contaminated clothing before reuse. Contaminated work clothing should not be allowed

out of the workplace. Do not eat, drink or smoke when using this product. Always wash hands

after handling the product.

### 7.2. Conditions for safe storage, including any incompatibilities

Storage conditions : Store in a well-ventilated place. Keep cool. Keep away from heat, hot surfaces, sparks, open

flames and other ignition sources. No smoking.

Incompatible materials : Store away from strong oxidizers, strong bases, strong acids.

### **SECTION 8: Exposure controls/personal protection**

### 8.1. Control parameters

#### **Faucet Wax**

No additional information available

### 8.2. Appropriate engineering controls

Appropriate engineering controls : Ensure adequate ventilation.

Environmental exposure controls : Do not allow product to spread into the environment.

### 8.3. Individual protection measures/Personal protective equipment

#### Materials for protective clothing:

Wear suitable protective clothing

4/11/2023 (Revision date) US - en 3/7

## Safety Data Sheet

According to 29CFR 1910.1200 OSHA Hazard Communication Standard

#### Hand protection:

Not required for normal conditions of use. Handling product in bulk: Wear suitable gloves

#### Eye protection:

No special eye protection equipment recommended under normal conditions of use. Handling product in bulk: Use suitable eye protection

### Skin and body protection:

Wear suitable protective clothing

#### Respiratory protection:

In operations where exposure limits are exceeded or exposure levels are excessive, an approved respirator should be used. Respirator selection and use should be based on contaminant type, form and concentration. Follow applicable regulations and good Industrial Hygiene practice.

### Thermal hazard protection:

Not applicable.

### **SECTION 9: Physical and chemical properties**

### 9.1. Information on basic physical and chemical properties

Physical state : Liquid

Appearance : Liquid. Light yellow.
Color : Light yellow
Odor : Characteristic
Odor threshold : No data available

pH : 9.1

Melting point : Not applicable Freezing point : No data available

Boiling point :  $100 \,^{\circ}\text{C}$ Flash point :  $96 \,^{\circ}\text{C}$ 

Relative evaporation rate (butyl acetate=1) : No data available Flammability (solid, gas) : Not applicable. Vapor pressure No data available Relative vapor density at 20°C No data available Relative density No data available Density 0.9658 g/cm<sup>3</sup> Solubility : completely miscible. Partition coefficient n-octanol/water (Log Pow) : No data available : No data available Auto-ignition temperature Decomposition temperature : No data available Viscosity, kinematic : No data available Viscosity, dynamic : ≈ 1.1 mPa·s : No data available **Explosion limits** Explosive properties : Product is not explosive. Oxidizing properties : Not oxidising.

## 9.2. Other information

No additional information available

### **SECTION 10: Stability and reactivity**

#### 10.1. Reactivity

The product is non-reactive under normal conditions of use, storage and transport.

## Safety Data Sheet

According to 29CFR 1910.1200 OSHA Hazard Communication Standard

### 10.2. Chemical stability

Stable under normal conditions.

#### 10.3. Possibility of hazardous reactions

No dangerous reactions known under normal conditions of use.

### 10.4. Conditions to avoid

Avoid contact with hot surfaces. Heat. No flames, no sparks. Eliminate all sources of ignition. Incompatible materials.

### 10.5. Incompatible materials

Keep away from oxidizers, strong acids and strong bases.

#### 10.6. Hazardous decomposition products

Under normal conditions of storage and use, hazardous decomposition products should not be produced.

## **SECTION 11: Toxicological information**

### 11.1. Information on toxicological effects

Acute toxicity (oral) : Not classified
Acute toxicity (dermal) : Not classified
Acute toxicity (inhalation) : Not classified
Skin corrosion/irritation : Not classified.
pH: 9.1
Serious eye damage/irritation : Not classified

pH: 9.1
Respiratory or skin sensitization : Not classified
Germ cell mutagenicity : Not classified

Carcinogenicity : Not classified (This product does not contain any component that is considered a carcinogen by

IARC, ACGIH, OSHA or NTP.)

Reproductive toxicity : Not classified STOT-single exposure : Not classified. STOT-repeated exposure : Not classified Aspiration hazard : Not classified. Viscosity, kinematic : No data available

Symptoms/effects : May cause minor eye irritation. May cause slight irritation to the skin. May cause gastrointestinal

irritation, nausea, vomiting and diarrhea.

Inhalation : Adverse effects not expected from this product.

Skin : May cause slight irritation to the skin.

Eyes : May cause minor eye irritation.

Ingestion : May cause gastrointestinal irritation, nausea, vomiting and diarrhea.

Chronic symptoms : No chronic health hazards are likely for this material.

### **SECTION 12: Ecological information**

### 12.1. Toxicity

Ecology - general : Toxic to aquatic life. Harmful to aquatic life with long lasting effects.

#### 12.2. Persistence and degradability

No additional information available

4/11/2023 (Revision date) US - en 5/7

## Safety Data Sheet

According to 29CFR 1910.1200 OSHA Hazard Communication Standard

### 12.3. Bioaccumulative potential

No additional information available

### 12.4. Mobility in soil

No additional information available

### 12.5. Other adverse effects

No additional information available

### **SECTION 13: Disposal considerations**

### 13.1. Disposal methods

Waste treatment methods : Dispose of contents/container in accordance with licensed collector's sorting instructions.

Product/Packaging disposal recommendations : Dispose of in accordance with applicable federal, state, and local regulations.

### **SECTION 14: Transport information**

In accordance with DOT / IMDG / IATA

DOT	DOT IMDG							
14.1. UN number								
Not regulated for transport								
14.2. Proper Shipping Name								
Not applicable	Not applicable Not applicable Not applicable							
14.3. Transport hazard class(es)								
Not applicable Not applicable Not applicable								
14.4. Packing group	14.4. Packing group							
Not applicable Not applicable Not applicable								
14.5. Environmental hazards								
Not applicable	Not applicable	Not applicable						
No supplementary information available								

## 14.6. Special precautions for user

**DOT** 

No data available

**IMDG** 

No data available

**IATA** 

No data available

## 14.7. Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Not applicable

## Safety Data Sheet

According to 29CFR 1910.1200 OSHA Hazard Communication Standard

### **SECTION 15: Regulatory information**

### 15.1. US Federal regulations

#### **Faucet Wax**

SARA Section 311/312 Hazard Classes

Refer to Section 2 for OSHA Hazard Classification.

All components of this product are listed, or excluded from listing, on the United States Environmental Protection Agency Toxic Substances Control Act (TSCA) inventory.

This product or mixture is not known to contain a toxic chemical or chemicals in excess of the applicable de minimis concentration as specified in 40 CFR §372.38(a) subject to the reporting requirements of section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 and 40 CFR Part 372.

### 15.2. International regulations

### **Faucet Wax**

All components of this product are listed, or excluded from listing, on the United States Environmental Protection Agency Toxic Substances Control Act (TSCA) inventory.

### 15.3. US State regulations

California Proposition 65 - This product does not contain any substances known to the state of California to cause cancer, developmental and/or reproductive harm

### **SECTION 16: Other information**

According to 29CFR 1910.1200 OSHA Hazard Communication Standard Revision date : 4/11/2023

#### Indication of changes:

new version.

Safety Data Sheet (SDS), USA

This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product.

4/11/2023 (Revision date) US - en 7/7



## Safety Data Sheet

According to 29CFR 1910.1200 OSHA Hazard Communication Standard Issue date: 4/11/2023 Revision date: 4/11/2023 Version: 1.0

### **SECTION 1: Identification**

### 1.1. Identification

Product form : Mixture

Product name : Tactical Matte Finish Cleaner

Synonyms : Jewelry cleaner / Stainless cleaner / Flat Matte Cleaner / Tactical Matte Cleaner / Electronic

Cleaner

### 1.2. Recommended use and restrictions on use

Recommended use : Polishing agent Restrictions on use : None known

### 1.3. Supplier

info@flitz.com

Flitz International LTD 821 Mohr Ave. Waterford, WI. 53185 USA T (262) 534-5898

## 1.4. Emergency telephone number

Emergency number : 1 (800) 222-1222 (U.S.)

### **SECTION 2: Hazard(s) identification**

### 2.1. Classification of the substance or mixture

### **GHS US classification**

Not classified

### 2.2. GHS Label elements, including precautionary statements

## **GHS US labeling**

No labeling applicable

## 2.3. Other hazards which do not result in classification

No additional information available

### 2.4. Unknown acute toxicity (GHS US)

No additional information available

## **SECTION 3: Composition/Information on ingredients**

## 3.1. Substances

Not applicable

### 3.2. Mixtures

\*Chemical name, CAS number and/or exact concentration have been withheld as a trade secret

This mixture does not contain any substances to be mentioned according to the criteria of section 3.2 of HazCom 2012

## Safety Data Sheet

Ingestion

According to 29CFR 1910.1200 OSHA Hazard Communication Standard

### **SECTION 4: First-aid measures**

### 4.1. Description of first aid measures

First-aid measures general : No particular/specific measures required.

First-aid measures after inhalation : No first aid should be needed. Remove person to fresh air and keep comfortable for breathing.

Get medical attention if symptoms occur.

First-aid measures after skin contact : Rinse skin with water/shower. If skin irritation occurs: Get medical advice/attention.

First-aid measures after eye contact : Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to

do. Continue rinsing. If eye irritation persists: Get medical advice/attention.

First-aid measures after ingestion : No first aid should be needed. Rinse mouth out with water. If you feel unwell, seek medical

advice.

#### 4.2. Most important symptoms and effects (acute and delayed)

Symptoms/effects : Not expected to present a significant hazard under anticipated conditions of normal use. May

cause slight temporary irritation.

Inhalation : No adverse effects expected under normal conditions of use.

Skin : No adverse effects expected under normal conditions of use. May cause slight irritation to the

skin.

Eyes : No adverse effects expected under normal conditions of use. May cause minor eye irritation.

: No adverse effects expected under normal conditions of use. May cause irritation to the digestive

tract.

Chronic symptoms : No chronic health hazards are likely for this material.

### 4.3. Immediate medical attention and special treatment, if necessary

None under normal conditions. Treat symptomatically.

### **SECTION 5: Fire-fighting measures**

### 5.1. Suitable (and unsuitable) extinguishing media

Suitable extinguishing media : Use extinguishing media appropriate for surrounding fire.
Unsuitable extinguishing media : Do not use a solid water stream as it may scatter and spread fire.

### 5.2. Specific hazards arising from the chemical

Fire hazard : Not classified. will not burn. Explosion hazard : Product is not explosive.

Hazardous decomposition products in case of fire : Toxic vapors may be released. Carbon oxides (CO, CO2). Phosphorus oxides.

### 5.3. Special protective equipment and precautions for fire-fighters

Protection during firefighting : Do not attempt to take action without suitable protective equipment. Self-contained breathing apparatus. Complete protective clothing. On heating, there is a risk of bursting due to internal

pressure build-up. Cool down the containers exposed to heat with a water spray.

## **SECTION 6: Accidental release measures**

### 6.1. Personal precautions, protective equipment and emergency procedures

General measures : Ventilate area. Wear suitable protective clothing. Do not touch or walk on the spilled product.

Stop leak if safe to do so. Keep unnecessary and unprotected personnel away from the spillage.

### 6.1.1. For non-emergency personnel

Emergency procedures : Ventilate spillage area. Avoid breathing mist, spray. Avoid contact with skin, eyes and clothing.

4/11/2023 (Revision date) US - en 2/7

## Safety Data Sheet

According to 29CFR 1910.1200 OSHA Hazard Communication Standard

#### 6.1.2. For emergency responders

Protective equipment : Do not attempt to take action without suitable protective equipment. For further information refer

to section 8: "Exposure controls/personal protection".

#### 6.2. Environmental precautions

Avoid release to the environment.

#### 6.3. Methods and material for containment and cleaning up

For containment : Ventilate spillage area. Absorb with an inert material and place in an appropriate waste disposal

container

Methods for cleaning up : Ventilate area. Take up liquid spill into absorbent material. Place in a suitable container for

disposal in accordance with the waste regulations (see Section 13). Wash contaminated area

with large amounts of water. Use personal protective equipment as required.

Other information : Dispose of materials or solid residues at an authorized site.

#### 6.4. Reference to other sections

For further information refer to section 8: "Exposure controls/personal protection". For further information refer to section 13.

## **SECTION 7: Handling and storage**

### 7.1. Precautions for safe handling

Precautions for safe handling : Ensure adequate ventilation. Avoid breathing spray, mist. Avoid contact with eyes, skin and

clothing. Use personal protective equipment as required. Handle in accordance with good

industrial hygiene and safety procedures.

Hygiene measures : Wash contaminated clothing before reuse. Do not eat, drink or smoke when using this product.

Always wash hands after handling the product.

### 7.2. Conditions for safe storage, including any incompatibilities

Storage conditions : Store in a well-ventilated place. Keep cool.

Incompatible materials : Store away from strong oxidizers, strong bases, strong acids.

## **SECTION 8: Exposure controls/personal protection**

### 8.1. Control parameters

## Stainless Cleaner

No additional information available

#### 8.2. Appropriate engineering controls

Appropriate engineering controls : Ensure adequate ventilation. Do not exceed the occupational exposure limits (OEL).

Environmental exposure controls : Avoid release to the environment.

### 8.3. Individual protection measures/Personal protective equipment

### Materials for protective clothing:

Wear suitable protective clothing

### Hand protection:

Not required for normal conditions of use. Handling product in bulk: Wear suitable gloves

4/11/2023 (Revision date) US - en 3/7

## Safety Data Sheet

According to 29CFR 1910.1200 OSHA Hazard Communication Standard

#### Eye protection:

No special eye protection equipment recommended under normal conditions of use. Handling product in bulk: Use suitable eye protection

### Skin and body protection:

None under normal conditions

#### Respiratory protection:

In operations where exposure limits are exceeded or exposure levels are excessive, an approved respirator should be used. Respirator selection and use should be based on contaminant type, form and concentration. Follow applicable regulations and good Industrial Hygiene practice.

#### Thermal hazard protection:

Not applicable.

## **SECTION 9: Physical and chemical properties**

### 9.1. Information on basic physical and chemical properties

Physical state : Liquid

Appearance : Colorless liquid.
Color : Colorless
Odor : Characteristic
Odor threshold : No data available

pH : 9

Melting point : Not applicable Freezing point : No data available

Boiling point : 100 °C

Flash point : No data available Relative evaporation rate (butyl acetate=1) : No data available Flammability (solid, gas) : Not applicable. : No data available Vapor pressure Relative vapor density at 20°C : No data available : No data available Relative density Density : 1.007 g/cm<sup>3</sup> Solubility Soluble in water. Water: 100 % Partition coefficient n-octanol/water (Log Pow) : No data available

Partition coefficient n-octanol/water (Log Pow)

Auto-ignition temperature

Decomposition temperature

Viscosity, kinematic

Viscosity, dynamic

Explosion limits

Explosive properties

No data available

No data available

No data available

No data available

Product is not explosive.

Oxidizing properties : Not oxidising.

#### 9.2. Other information

No additional information available

### **SECTION 10: Stability and reactivity**

#### 10.1. Reactivity

The product is non-reactive under normal conditions of use, storage and transport.

## Safety Data Sheet

According to 29CFR 1910.1200 OSHA Hazard Communication Standard

### 10.2. Chemical stability

Stable under normal conditions.

### 10.3. Possibility of hazardous reactions

No dangerous reactions known under normal conditions of use.

### 10.4. Conditions to avoid

Incompatible materials.

#### 10.5. Incompatible materials

Keep away from oxidizers, strong acids and strong bases.

#### 10.6. Hazardous decomposition products

Under normal conditions of storage and use, hazardous decomposition products should not be produced.

## **SECTION 11: Toxicological information**

### 11.1. Information on toxicological effects

: Not classified Acute toxicity (oral) Acute toxicity (dermal) Not classified Acute toxicity (inhalation) Not classified Skin corrosion/irritation : Not classified 9:Hq

Serious eye damage/irritation Not classified

pH: 9

Respiratory or skin sensitization Not classified Germ cell mutagenicity : Not classified

Carcinogenicity Not classified (This product does not contain any component that is considered a carcinogen by

IARC, ACGIH, OSHA or NTP.)

Reproductive toxicity : Not classified STOT-single exposure : Not classified STOT-repeated exposure Not classified Aspiration hazard Not classified Viscosity, kinematic : No data available

Symptoms/effects : Not expected to present a significant hazard under anticipated conditions of normal use. May

cause slight temporary irritation.

Inhalation : No adverse effects expected under normal conditions of use.

Skin No adverse effects expected under normal conditions of use. May cause slight irritation to the

Eyes : No adverse effects expected under normal conditions of use. May cause minor eye irritation. Ingestion No adverse effects expected under normal conditions of use. May cause irritation to the digestive

Chronic symptoms : No chronic health hazards are likely for this material.

### **SECTION 12: Ecological information**

### 12.1. Toxicity

Ecology - general : The product is not considered harmful to aquatic organisms or to cause long-term adverse

effects in the environment.

## Safety Data Sheet

According to 29CFR 1910.1200 OSHA Hazard Communication Standard

### 12.2. Persistence and degradability

No additional information available

### 12.3. Bioaccumulative potential

No additional information available

### 12.4. Mobility in soil

No additional information available

### 12.5. Other adverse effects

No additional information available

## **SECTION 13: Disposal considerations**

### 13.1. Disposal methods

Waste treatment methods : Dispose of in accordance with applicable federal, state, and local regulations. Product/Packaging disposal recommendations : Dispose of in accordance with applicable federal, state, and local regulations.

## **SECTION 14: Transport information**

In accordance with DOT / IMDG / IATA

DOT	IMDG	IATA						
14.1. UN number								
Not regulated for transport								
14.2. Proper Shipping Name								
Not applicable	Not applicable Not applicable Not applicable							
14.3. Transport hazard class(es)								
Not applicable	Not applicable Not applicable Not applicable							
14.4. Packing group								
Not applicable Not applicable Not applicable								
14.5. Environmental hazards								
Not applicable	Not applicable							
No supplementary information available								

## 14.6. Special precautions for user

#### DOT

No data available

#### **IMDG**

No data available

### IATA

No data available

### 14.7. Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Not applicable

## Safety Data Sheet

According to 29CFR 1910.1200 OSHA Hazard Communication Standard

### **SECTION 15: Regulatory information**

### 15.1. US Federal regulations

### **Stainless Cleaner**

SARA Section 311/312 Hazard Classes

Refer to Section 2 for OSHA Hazard Classification.

All components of this product are listed, or excluded from listing, on the United States Environmental Protection Agency Toxic Substances Control Act (TSCA) inventory.

This product or mixture is not known to contain a toxic chemical or chemicals in excess of the applicable de minimis concentration as specified in 40 CFR §372.38(a) subject to the reporting requirements of section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 and 40 CFR Part 372.

### 15.2. International regulations

#### **Stainless Cleaner**

All components of this product are listed, or excluded from listing, on the United States Environmental Protection Agency Toxic Substances Control Act (TSCA) inventory.

## 15.3. US State regulations



This product can expose you to 1,4-Dioxane, which is known to the State of California to cause cancer. For more information go to www.P65Warnings.ca.gov.

### **SECTION 16: Other information**

According to 29CFR 1910.1200 OSHA Hazard Communication Standard Revision date : 4/11/2023

#### Indication of changes:

new version.

Safety Data Sheet (SDS), USA

This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product.

4/11/2023 (Revision date) US - en 7/7