



## Safety Data Sheet

Copyright 2021, Flitz International Ltd.

All rights reserved. Copying and/or downloading of this information for the purpose of properly utilizing Flitz products is allowed provided that: (1) the information is copied in full with no changes unless prior written agreement is obtained from Flitz and (2) neither the copy nor the original is resold or otherwise distributed with the intention of earning a profit thereon.

Issue Date: 03/15/21

Supersedes Date: 10/13/20

### SECTION 1: Identification

#### 1.1. Product identifier

Flitz Speedi Seal

#### Product Identification Numbers

ID Numbers:

MX32806

#### 1.2. Recommended use and restrictions on use

##### Recommended use

Hand-applied sealant, Residential or Industrial use

#### 1.3. Supplier's details

##### MANUFACTURER

Flitz International Ltd.

##### ADDRESS:

821 Mohr Ave., Waterford, WI 53185, USA

##### Telephone:

262-534-5898

#### 1.4. Emergency telephone number: 262-534-5898

### SECTION 2: Hazard identification

#### 2.1. Hazard classification

29 CFR Part 1910.1200

This mixture is not classified as hazardous in accordance with Regulation 29 CFR 1910.1200(d).

#### 2.2. Label elements

Signal word: Warning

Symbols:



##### Hazard Statements

H315: Causes skin irritation.

H320: Causes eye irritation.

#### 2.3 Other Hazards

Precautionary statements:

##### Prevention

p264: Wash thoroughly after handling

p280: Wear protective gloves/protective clothing/eye protection/face protection.

## Flitz Speedi Seal

### Response

P302+P352: IF ON SKIN: Wash with plenty of soap and water.

P321: Specific treatment (see ... on this label).

P332+P313: If skin irritation occurs: Get medical advice /attention.

P362+P364: Take off contaminated clothing and wash before reuse.

P305+ P351+ P338: IF IN EYES: Rinse with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

P337+P313: If eye irritation persists, get a medical advice/attention.

## SECTION 3: Composition/information on ingredients

| Ingredient                 | CAS. #     | % by Wt |
|----------------------------|------------|---------|
| Aminomodified Polysilicone | 75718-16-0 | 1-5     |
| Polydimethylsiloxane       | 63148-62-9 | <0.5    |
| Ethylene glycol            | 107-21-1   | <0.01   |
| 2-Butoxyethanol            | 111-76-2   | <1      |
| Ethanol                    | 64-17-5    | <0.5    |
| Water                      | 7732-18-5  | 90-100  |

### Mixtures

Chemical characterization

The product does not contain dangerous substances to be mentioned in Chapter 3.

Comment on composition parts/substances very high concern -

SVHC: substances are not contained or are below 0,1%

For full text of H - statements: see SECTION 16

## SECTION 4: First aid measures

### 4.1. Description of first aid measures

#### General information:

The following first aid recommendations are based on an assumption that appropriate personal and industrial hygiene practices are followed.

Take off contaminated clothing and wash before reuse.

**Eye Contact:** Flush eyes with large amount of water. If signs/symptoms persist, get medical attention.

**Skin Contact:** Wash affected area with soap and water. If signs/symptoms develop, get medical attention.

**Inhalation:** No need for first aid is anticipated.

**If Swallowed:** No need for first aid is anticipated.

## SECTION 5: Fire-fighting measures

### 5.1. Suitable extinguishing media:

SMALL FIRE: Use dry chemicals, CO<sub>2</sub>, water spray or alcohol-resistant foam.

LARGE FIRE: Use water spray, water fog or alcohol-resistant foam.

### 5.2. Special hazards arising from the substance or mixture

Thermal decomposition may produce carbon monoxide and other toxic vapors.

### 5.3. Special protective actions for fire-fighters

Wear an approved positive pressure self-contained breathing apparatus and firefighter turnout gear.

Heat from fire can generate flammable vapor when mixed with air and exposed to ignition source. Vapors can burn in open or explode if confined. Vapors may be heavier than air, and may travel long distances along the ground before igniting and flashing back to vapor source. Fine sprays/mists may be combustible at temperatures below flash point. Fight fire from a safe distance or protected location.

Heat may build enough pressure to rupture closed containers/spreading fire/increasing risk of burns/injuries. Use water spray/fog for cooling. Avoid frothing/steam explosion. Burning liquid may float on water. Although water soluble, may not be practical to extinguish fire by water dilution. Notify authorities immediately if liquid enters sewer/public waters.

## SECTION 6: Accidental release measures

### 6.1. Personal precautions, protective equipment and emergency procedures

Avoid the inhalation (dust, gas, mist, vapor, spray) and follow all precautions.

Wear appropriate protective equipment.

Isolate contaminated areas remove all ignition sources.

Do not touch damaged containers or spilled material without wearing appropriate protective clothing.

Also see protective measures under point 7 and 8.

### 6.2. Environmental precautions

Avoid release to the environment. Do not discharge into drains/ surface waters/ groundwater.

### 6.3. Methods and material for containment and cleaning up

Absorb with liquid-binding material (e.g. sand, diatomaceous earth, acid- or universal binding agents). Treat the recovered material as prescribed in the section on waste disposal.

Clean contaminated objects and areas thoroughly observing environmental regulations.

Dispose of absorbed material in accordance with regulations.

**6.4 Reference to other sections:** See Sections 7, 8 & 13

## SECTION 7: Handling and storage

### 7.1. Precautions for safe handling

- Use only with adequate ventilation.
- Wear suitable protective clothing. (See section 8.)
- Usual measures for fire prevention.
- General protection and hygiene measures: refer to chapter 8

### 7.2. Conditions for safe storage including any incompatibilities

- Keep container tightly closed in a cool, well-ventilated place. Do not store in direct sunlight or expose to heat above 120F.
- Keep away from heat. Sparks and flames.
- Do not store together with: Explosives. Oxidizing solids. Oxidizing liquids. Radioactive substances. Infectious substances. Food and animal feeding stuff.
- Keep the packing dry and well-sealed to prevent contamination and absorption of humidity.  
Recommended storage temperature: 20°C
- Protect against UV-radiation & moisture.

## SECTION 8: Exposure controls/personal protection

### 8.1. Control parameters

The following constituents are the only constituents of the product which have a PEL, TLV or other recommended exposure limit:  
At this time no constituents have known exposure limits.

### 8.2. Exposure controls

|   |  |
|---|--|
| <p><b>Exposure controls.</b><br/><b>Additional advice on system design.</b></p> | <p>No special measures are necessary. Use with appropriate local exhaust ventilation.</p>  |
| <p><b>Eye protection</b></p>  | <p>Avoid eye contact with vapors, mist, or spray.<br/>Safety glasses with side shields. (EN 166:2001)</p>  |
| <p><b>Hand protection</b></p>   | <p>In case of prolonged or frequently repeated skin contact:<br/>Wear suitable gloves.<br/>Suitable material:<br/>FKM (fluororubber). – Thickness: 0.4 mm Breakthrough time &gt;= 8 h<br/>Butyl rubber. - Thickness 0.5 mm Breakthrough time &gt;= 8 h<br/>CR (polychloroprenes, Chloroprene rubber). - Thickness 0.5 mm Breakthrough time &gt;= 8 h<br/>NBR (Nitrile rubber). - Thickness 0.35 mm Breakthrough time &gt;= 8 h</p> |

## Flitz Speedi Seal

|  |   |
|--|---|
|  | PVC (Polyvinyl chloride) - Thickness 0.5 mm Breakthrough time $\geq$ 8 h<br>The selected protective gloves should satisfy the specifications of standards like EN 374.<br>Before using check leak tightness/impermeability. In the case of reuse, clean them before taking off and air them out well. |
| <b>Skin protection/other</b>                                     | Avoid skin contact. Protective clothing.  |
| <b>Respiratory protection</b>                                    | With correct and proper use, and under normal conditions, breathing protection is not required.   |
| <b>Thermal hazards</b>   | None  |
| <b>Delimitation and monitoring the environmental exposition.</b> | No special precautionary measures are necessary.  |

## SECTION 9: Physical and chemical properties

### 9.1. Information on basic physical and chemical properties

|   |                   |
|---|-------------------|
| <b>Form</b>                                     | Liquid            |
| <b>Color</b>                                    | White             |
| <b>Odor</b>                                     | Very little odor  |
| <b>Odor Threshold</b>                           | Not required      |
| <b>pH Value</b>                                 | 6.5-7.5           |
| <b>pH Value 1%</b>                              | Not determined    |
| <b>Boiling Point</b>                            | 100°C             |
| <b>Flash Point</b>                              | >100°C            |
| <b>Flammability (solid, gas)</b>                | Not applicable    |
| <b>Lower &amp; Upper exposure limits</b>        | Not determined    |
| <b>Oxidizing properties</b>                     | No                |
| <b>Vapor pressure/Gas pressure [KPa]</b>        | Not determined    |
| <b>Density [g/ml]</b>                           | not determined    |
| <b>Bulk Density</b>                             | Not applicable    |
| <b>Solubility in water</b>                      | Complete          |
| <b>Partition coefficient [n-octanol/water]</b>  | Not Determined    |
| <b>Viscosity</b>                                | not determined    |
| <b>Relative vapor density determined in air</b> | Not determined    |
| <b>Evaporation speed</b>                        | Not determined    |
| <b>Melting point</b>                            | 0°C               |
| <b>Autoignition temperature</b>                 | Not self-igniting |
| <b>Decomposition temperature</b>                | Not determined    |
| <b>Specific Gravity</b>                         | 0.95-1.05         |

## SECTION 10: Stability and reactivity

### 10.1. Reactivity

No dangerous reactions known if used as directed

### 10.2. Chemical stability

The product is stable under standard conditions

## Flitz Speedi Seal

### 10.3. Possibility of hazardous reactions

Will not occur

### 10.4. Conditions to avoid

Protect against: UV-radiation/sunlight. Heat.

### 10.5. Incompatible materials

Materials to avoid: Oxidizing agent, strong. Reducing agents, strong.

### 10.6. Hazardous decomposition or by-products

Thermal decomposition products include: hydrogen fluoride, hydrogen chloride, carbon monoxide, carbon dioxide and chloride.

## SECTION 11: Toxicological information

The information below may not be consistent with the material classification in Section 2 if specific ingredient classifications are mandated by a competent authority. In addition, toxicological data on ingredients may not be reflected in the material classification and/or the signs and symptoms of exposure, because an ingredient may be present below the threshold for labeling, an ingredient may not be available for exposure, or the data may not be relevant to the material as a whole.

### 11.1. Information on Toxicological effects

|  |  |
|--|--|
| Serious eye damage/irritation                      | May cause slight eye irritation.   |
| Skin corrosion/irritation                          | May cause slight skin irritation. Liquid defats the skin.  |
| Inhalation exposure                                | Irritation, headache, sleepiness, dizziness, orientation loss.   |
| Ingestion exposure                                 | Irritation, vomiting, headache, dizziness, orientation loss, pulmonary congestion.   |
| Respiratory or skin sensitization                  | Based on the available information, the classification criteria are not fulfilled. Toxicological data of complete product are not available.   |
| Specific target organ toxicity – single exposure   | Based on the available information, the classification criteria are not fulfilled. Toxicological data of complete product are not available.   |
| Specific target organ toxicity – repeated exposure | Based on the available information, the classification criteria are not fulfilled. Toxicological data of complete product are not available.   |
| Mutagenicity                                       | Does not contain a relevant substance that meets the classification criteria. Based on the available information, the classification criteria are not fulfilled. Toxicological data of complete product are not available. |
| Reproduction toxicity                              | Does not contain a relevant substance that meets the classification criteria. Based on the available information, the classification criteria are not fulfilled. Toxicological data of complete product are not available. |
| Carcinogenicity                                    | Does not contain a relevant substance that meets the classification criteria. Based on the available information, the classification criteria are not fulfilled. Toxicological data of complete product are not available. |
| Aspiration Hazards                                 | Based on the available information, the classification criteria are not fulfilled.   |
| General Remarks                                    | Frequent persistent contact with skin can cause skin irritation.   |

## SECTION 12: Ecological information

|                                    |  |
|------------------------------------|--|
| 12.1 Chronic Toxicity              | Product has not been tested  |
| 12.2 Persistence and degradability | Product has not been tested  |
| 12.3 Bio accumulative potential    | Accumulation in organism is not expected   |
| 12.4 Mobility in soil              | No data available  |
| 12.5 Results of PBT & vPvB assess. | Based on all available information not to be classified as PBT or vPvB respectively. |
| 12.6 Other adverse effects         | None known. Do not allow to enter into surface water or drains.                      |

### SECTION 13: Disposal considerations

Waste material must be disposed of in accordance with the Directive on waste 2008/98/EC as well as other national and local regulations. It is not possible to determine a waste code for this product in accordance with the European Waste Catalogue (EWC) since it is only possible to classify it according to how it is used by the customer. The waste code is to be determined within the EU in liaison with the waste-disposal operator.

|                        |  |
|------------------------|--|
| Product:               | Dispose in accordance with the regulations of local authorities        |
| Contaminated packaging | Packaging that cannot be cleaned should be disposed of as for product. |
|                        | Uncontaminated packaging may be taken for recycling.                   |

### SECTION 14: Transport Information

US DOT 49 C FR 172.101

|                       |   |
|-----------------------|---|
| Proper shipping name: | Not a hazardous material with respect to these transport regulations.<br>Not controlled under DOT |
|-----------------------|---|

|  |                |
|--|----------------|
| 14.1 UN Number                           |                |
| Transport by land according to AOR/RIO   | not applicable |
| Inland navigation (AON)                  | not applicable |
| Marine transport in accordance with IMDG | not applicable |
| Air transport in accordance with IATA    | not applicable |

|  |  |
|--|--|
| 14.2 UN proper shipping name             |  |
| Transport by land according to AOR/RIO   | NO DANGEROUS GOODS                     |
| Inland navigation (AON)                  | NO DANGEROUS GOODS                     |
| Marine transport in accordance with IMDG | NOT CLASSIFIED AS "NO DANGEROUS GOODS" |
| Air transport in accordance with IATA    | NOT CLASSIFIED AS "NO DANGEROUS GOODS" |

|  |                |
|--|----------------|
| 14.3 Transport hazard class (es)         |                |
| Transport by land according to AOR/RIO   | not applicable |
| Inland navigation (AON)                  | not applicable |
| Marine transport in accordance with IMDG | not applicable |
| Air transport in accordance with IATA    | not applicable |

|  |                |
|--|----------------|
| 14.4 Packaging group                     |                |
| Transport by land according to AOR/RIO   | not applicable |
| Inland navigation (AON)                  | not applicable |
| Marine transport in accordance with IMDG | not applicable |
| Air transport in accordance with IATA    | not applicable |

|  |    |
|--|----|
| 14.5 Environmental hazards               |    |
| Transport by land according to AOR/RIO   | no |
| Inland navigation (AON)                  | no |
| Marine transport in accordance with IMDG | no |
| Air transport in accordance with IATA    | no |

|                                  |   |
|----------------------------------|---|
| 14.6 Special precaution for user | relevant information under SECTION 6 to 8 |
|----------------------------------|---|

|   |  |
|---|--|
| 14.7 Transport in bulk according to Annex II of Marpol and the IBC Code |  |
|---|--|

### SECTION 15: Regulatory information

No Data Available

## SECTION 16: Other information

### 16.1 Hazard statements (section 03)

Hazardous Materials Information Label (HMIS)

Health: 0  
Flammability: 0  
Physical Hazard: 0  
Personal Protection: -

NFPA Hazard Ratings

Health: 0  
Flammability: 0  
Reactivity: 0  
Unique Hazard: -

### 16.2 Abbreviations and acronyms

ADR = Accord europeen relatif au transport international des marchandises Dangereuses par Route

RID = Reglement concernant le transport international ferroviaire de marchandises dangereuses

AON = Accord europeen relatif au transport international des marchandises dangereuses par voie de navigation interieure

ATE= acute toxicity estimate

CAS = Chemical Abstracts Service

CLP = Classification, Labelling and Packaging

DMEL = Derived Minimum Effect Level

DNEL = Derived No Effect Level

EC50 = Median effective concentration

ECB = European Chemicals Bureau

ECB= European Chemical Bureau

EEC = European Economic Community

EINECS = European Inventory of Existing Commercial Chemical Substances

ELINCS = European List of Notified Chemical Substances

DISCLAIMER: The information in this Safety Data Sheet (SDS) is believed to be correct as of the date issued. Flitz MAKES NO WARRANTIES, EXPRESSED OR IMPLIED, INCLUDING, BUT NOT LIMITED TO, ANY IMPLIED WARRANTY OF MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE OR COURSE OF PERFORMANCE OR USAGE OF TRADE. User is responsible for determining whether the Flitz product is fit for a particular purpose and suitable for user's method of use or application. Given the variety of factors that can affect the use and application of a Flitz product, some of which are uniquely within the user's knowledge and control, it is essential that the user evaluate the Flitz product to determine whether it is fit for a particular purpose and suitable for user's method of use or application.

Flitz provides information in electronic form as a service to its customers. Due to the remote possibility that electronic transfer may have resulted in errors, omissions or alterations in this information, Flitz makes no representations as to its completeness or accuracy. In addition, information obtained from a database may not be as current as the information in the SDS available directly from Flitz.

Flitz International SDSs are available at [www.flitz.com](http://www.flitz.com)

This SDS has been prepared to meet the U.S. OSHA Hazard Communication Standard, 29 CFR 1910.1200.